



USA / deltalight.us / +1(954) 677 9800
 Canada / deltalight.ca / +1(905) 813 6130

Date _____

Name _____

Client _____

Project name _____


Quote# _____

Type/Quantity _____

Specification Sheet

GENIE 90 S O 6 213 15 05

[Weblink](#)



Cutout shape/size:	4" 3/8 x 4" 3/8
Recessed depth:	3" 15/16
ADJUSTABLE 0°- 35° SECURITY GLASS 6mm - max.1134kg 120N/mm ²	
GX5.3 // 12V 1 x MR16 max.20W	
Class 2	N.a.
Ada	N.a.
Weight:	1.5 LBS
Protection level:	IP65 - suitable for locations
Minimum distance:	n.a.
Options:	GENIE BOX 80 S / 90 S JUNCTION BOX IP67 CONNECTOR 3P

For detailed installation instructions, please consult the manual. [6_213_11_05_HAND.pdf](#)

22/05/2019 23:19:49

Features

Anodized aluminum construction Security glass cover

Application

For ambient lighting Residential, commercial, retail, and hospitality spaces


Listings



GENIE 90 S O
6 213 15 05



Related references

GROUND MOUNTING BOXES



Related references

WATERPROOF CONNECTION PARTS



GENIE 90 S O
6 213 15 05

Related project picture of product family:

